

PRODUCT SPECIFICATIONS

CIRCULAR SWING-BLADE MILL

MODEL 10-30

PROPERTY OF ONELMG.COM



ENGINE	<ul style="list-style-type: none"> • Electric start, EFI V-twin, petrol
TRANSMISSION	<ul style="list-style-type: none"> • 5" centrifugal clutch, 3 SPA 1030 belts • 40mm shaft • 1 piece hub shaft assembly
SAWBLADES	<ul style="list-style-type: none"> • 5 tooth TCT 3.55mm plate, 6.1mm kerf
CUT LENGTH	<ul style="list-style-type: none"> • Up to 6.1m in standard form
CUT SIZES	<ul style="list-style-type: none"> • Up to 254mm x 254mm (10" x 10") • Double cut up to 254mm x 508mm (10" x 20")
SIDE-WINDER	<ul style="list-style-type: none"> • Standard



WEIGHTS

CARRIAGE	176 kg
TRACKS	66 kg
END-FRAMES	81 kg
SHIPPING WEIGHT	430 kg
SHIPPING SIZES	<ul style="list-style-type: none">• Box: 1.03m x .75m x 2.85m• Tracks: .3m x .2m x 6.1m
SLABBER	Optional



NEED TO ORDER THIS MACHINE?

CONTACT: ATSU GBLORKPOR

+233 55 266 3576

OR

[CLICK HERE TO REQUEST A CUSTOM QUOTE HERE](#)



Follow Us on Social Media



FACEBOOK



INSTAGRAM



LINKEDIN

